

# FLASHING COMPATIBILITY CHART (A-Z)

## BRITMET

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Plaintile	aluzinc steel	large tile flashing (12-120mm)	15° - 90°	-	-
Profile 49	aluzinc steel	large tile flashing (12-120mm)	15° - 90°	-	-
Slate 200	aluzinc steel	large tile flashing (12-120mm)	15° - 90°	-	-
Ultratile	aluzinc steel	large tile flashing (12-120mm)	15° - 90°	-	-
Villatile	aluzinc steel	large tile flashing (12-120mm)	15° - 90°	-	-

## CEMBRIT

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
B5	fibre cement corrugated sheet	large tile flashing (12-120mm)	15° - 90°	-	-
Shingles	bitumen shingle	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Cambourne	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Cemsix	fibre cement corrugated sheet	large tile flashing (12-120mm)	15° - 90°	-	-
Diamond	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Cedar Shingles	timber shingle	plain tile flashing (0-14mm)	25° - 90°	-	-
Glacier	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Glendyne	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Jutland	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Moorland	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Westerland	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Zeeland	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°

## CREST NELSKAMP

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Biber Plain	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
DS5 Double Roll	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
F8.5 Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
F12 Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
F15 Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
G10 Flat	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
H10 Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
H14 Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
H15 Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
S9 Flat	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
SP10 Profiled	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
The Double Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
The Double Roman	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
The Planum Flat	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
The Planum 2 Duo Flat	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Wolds Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-

## CUPA PIZARRAS

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
CUPA 2	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 3	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 4	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 5	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 7	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 9	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 10	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 12	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 14	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 17	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 18	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 25	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
CUPA 98	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
THERMOSLATE	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°

## DECRA

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Classic	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Elegance	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Noxite	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Oberon	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Plus Tile	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Roman	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Stratos	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-

## DREADNOUGHT

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Classic	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Machine made	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Rustic	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
11" x 7"	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-

## FORTICRETE

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Centurion	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Gemini Twin	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Hardrow Duet	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Hardrow Harmonies	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Hardrow Solo	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Minislate	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Plain Tile	concrete plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Senator	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
V2	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°

## IMERYS

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Alpha 10	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Aquitaine Poudenx	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Arboise Ecaille Jacob	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Arboise Rectangulaire Jacob	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Artoise	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Auxoise	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Beauvoise 20	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Beauvoise Graphite	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Canal S	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Delta 10 Ste Foy	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Diamant	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Double HP 20	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Double Panne S	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
H10	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
H13	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
H14 Huguenot	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
HP 10	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
HP 13	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
HP 17	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Jura 10 Jacob	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Losangee Huguenot	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Marseille Poudenx	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Mediane Plus	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Meridionale Poudenx	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Monopole No. 1	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Monopole No. 3 Huguenot	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Monument Historique 16x27	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Monument Historique Doyet	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Neo Plain	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Oceane Poudenx	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Omega 10	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Omega 13	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-

Omega Max	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Panne H2 Huguenot	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Panne S	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Phalempin	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plain 20x30	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plate 16x24 Doyet	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plate 16x24 Phalempin	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plate 17x27 Doyet	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plate Ecaille Pressee 17x27 Ste Foy	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plate Pressee 17x27	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plate Tradition 17x27 Doyet	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plate Tradition 17x27 Phalempin	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plein Sud	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Provinciale Ste Foy	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
PV 10 Huguenot	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
PV 13 Huguenot	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Restauration 16x27	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Rhona 10	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Romane	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Standard 9 Jacob	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Standard 14 Vario	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Terroise Huguenot	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Valoise Huguenot	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°

## KEYMER

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
County Peg	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Goxhill	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Shire	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Traditional	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Ornamentals	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-

## KORAMIC

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
301 smooth	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
303 textured	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Actua	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Flemish 401	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Modula	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Old Hollow 451	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Tempest 44	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Vauban	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°

## MARLEY ETERNIT

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Anglia	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Acme Double Camber	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Acme Single Camber	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Ashdowne	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Ashmore	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Birkdale	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Birkdale low pitch	fibre cement slate	slate flashing (0-8mm)	15° - 90°	-	-
Canterbury	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Double Roman	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Duo Edgemere	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Duo Modern	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Ecologic Ludlow Major	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Edgemere	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Eternit 2000 slate	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Eternit 3000 slate	natural slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Garsdale	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Hawkins	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Lincoln	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Ludlow Major	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°

Ludlow Plus	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Maxima	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Melodie	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Mendip	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Modern	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Plain Tile	concrete plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Riven Edgemere	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Rivendale	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Thrutone	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Vertigo	fibre cement slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Wessex	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-

## METROTILE

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
iPanel	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Woodshake	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Vixen	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Roman	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Shingle	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Slate .900	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-
Bond	galvanised steel panel	large tile flashing (12-120mm)	15° - 90°	-	-

## ONDUTILE

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Ondutile	roof underlay system	large tile flashing (12-120mm)	15° - 90°	-	-

## REDLAND

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
50 Double Roman	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Duoplain	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Cambrian	Interlocking reconstituted slate	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Cathedral	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Fenland Pantile	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Fontenelle	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Grovebury	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Heathland	concrete plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Landmark 10	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Landmark Double Pantile	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Landmark Double Roman	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Mini Stonewold	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Mockbond Mini Stonewold	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Mockbond Richmond 10	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Old Hollow	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Plain tile	concrete plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Postel	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Redland 49	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Regent	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Renown	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Richmond 10	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Rosemary Classic	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Rosemary Craftsman	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Saxon 10	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Stonewold II	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Westminster	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°

## ROADSTONE

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Causeway	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Centurion	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Derrie	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Donard	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Gemini	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Minislate	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Plain Tile	concrete plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
SL8	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Vintage	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-

## RUSSEL

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
Bute	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Double Roman	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Galloway	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Grampian	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Highland	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Lothian	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Moray	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Pennine	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Plain Tile	concrete plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Plain Tile Blends	concrete plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Polden	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°

## SANDTOFT

Product	Roofing type	Flashing 01	Pitch 01	Flashing 02	Pitch 02
20/20	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Alban	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Arcadia	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Balmoral	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Barrow	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Bridgewater Double Roman	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Britlock	Interlocking reconstituted slate	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Britslate	reconstituted slate	slate flashing (0-8mm)	15° - 90°	flush flashing (0-8mm)	20° - 90°
Calderdale Edge	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Calderdale Traditional	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Cassius	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
County	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Double Pantile	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Double Roman	interlocking concrete	large tile flashing (12-120mm)	15° - 90°	-	-
Dual Calderdale Traditional	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Dual TLE	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Gaelic	interlocking clay	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Goxhill	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Greenwood	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Humber	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-
Lindum	interlocking concrete	tile flashing (16-50mm)	15° - 90°	large tile flashing (12-120mm)	15° - 90°
Neo Pantile	interlocking clay	large tile flashing (12-120mm)	15° - 90°	-	-
Okewood	clay plain tile	plain tile flashing (0-14mm)	25° - 90°	-	-